

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier			
Product Name	DUNLOP CF-24 FLEXIBLE TILE ADHESIVE WHITE		
1.2 Relevant identified uses of the substance or mixture and uses advised against			
Identified Use(s)	Cement based adhesive.		
Uses Advised Against	Not known.		
1.3 Details of the supplier of the safety data sheet			
Manufacturer/Supplier			
Company Identification	Building Adhesives Limited		
Address	Longton Road		
	Trentham		
	Stoke on Trent		
Postal code	ST4 8JB		
Telephone:	+44 (0)1782 591100		
Fax	Not known.		
E-mail	sdsreply@building-adhesives.com		
Office hours	8:30am-5pm, Mon-Fri (excluding bank holidays)		
1.4 Emergency telephone numb			
Emergency Phone No.	01865 407 333 (24/7 all year)		
Contact	No information available.		
National response centre			
Address	NHS Direct		
Emergency Phone No.	+44 111		
SECTION 2: HAZARDS IDENTIFICA	ATION		
2.1 Classification of the substan			
2.1 Classification of the substan GB CLP Regulation, UK SI	i ce or mixture Skin Irrit. 2 :Causes skin irritation.		
2.1 Classification of the substan GB CLP Regulation, UK SI	ice or mixture		
2.1 Classification of the substan GB CLP Regulation, UK SI	ice or mixture Skin Irrit. 2 :Causes skin irritation. Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage.		
2.1 Classification of the substan GB CLP Regulation, UK SI	ice or mixture Skin Irrit. 2 :Causes skin irritation. Skin Sens. 1B :May cause an allergic skin reaction.		
2.1 Classification of the substan GB CLP Regulation, UK SI	ice or mixture Skin Irrit. 2 :Causes skin irritation. Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage.		
2.1 Classification of the substan GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567	Ice or mixture Skin Irrit. 2 :Causes skin irritation. Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. STOT SE 3 :May cause respiratory irritation.		
2.1 Classification of the substan GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567	ice or mixture Skin Irrit. 2 :Causes skin irritation. Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage.		
2.1 Classification of the substan GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567	Acce or mixture Skin Irrit. 2 :Causes skin irritation. Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. STOT SE 3 :May cause respiratory irritation. According to GB CLP Regulations, UK SI 2019/720 and UK SI		
 2.1 Classification of the substand GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 2.2 Label elements Product Name 	Acc or mixture Skin Irrit. 2 :Causes skin irritation. Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. STOT SE 3 :May cause respiratory irritation. According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567		
 2.1 Classification of the substand GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 2.2 Label elements 	Acc or mixture Skin Irrit. 2 :Causes skin irritation. Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. STOT SE 3 :May cause respiratory irritation. According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567		
 2.1 Classification of the substand GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 2.2 Label elements Product Name 	Acc or mixture Skin Irrit. 2 :Causes skin irritation. Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. STOT SE 3 :May cause respiratory irritation. According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567		
 2.1 Classification of the substand GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 2.2 Label elements Product Name 	Acc or mixture Skin Irrit. 2 :Causes skin irritation. Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. STOT SE 3 :May cause respiratory irritation. According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567		
 2.1 Classification of the substand GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 2.2 Label elements Product Name 	According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 DUNLOP CF-24 FLEXIBLE TILE ADHESIVE WHITE		
 2.1 Classification of the substand GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 2.2 Label elements Product Name 	According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 DUNLOP CF-24 FLEXIBLE TILE ADHESIVE WHITE		
 2.1 Classification of the substand GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 2.2 Label elements Product Name 	According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 DUNLOP CF-24 FLEXIBLE TILE ADHESIVE WHITE		
 2.1 Classification of the substant GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 2.2 Label elements Product Name Hazard Pictogram(s) Signal Word(s) 	Acc or mixtureSkin Irrit. 2 :Causes skin irritation.Skin Sens. 1B :May cause an allergic skin reaction.Eye Dam. 1 :Causes serious eye damage.STOT SE 3 :May cause respiratory irritation.According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567DUNLOP CF-24 FLEXIBLE TILE ADHESIVE WHITEImage: Display Colspan="2">Image: Display Colspan="2"		
 2.1 Classification of the substand GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 2.2 Label elements Product Name Hazard Pictogram(s) 	According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 DUNLOP CF-24 FLEXIBLE TILE ADHESIVE WHITE GHS05 Danger H315: Causes skin irritation.		
 2.1 Classification of the substant GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 2.2 Label elements Product Name Hazard Pictogram(s) Signal Word(s) 	According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 DUNLOP CF-24 FLEXIBLE TILE ADHESIVE WHITE GHS05 Danger H315: Causes skin irritation. H317: May cause an allergic skin reaction.		
 2.1 Classification of the substant GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 2.2 Label elements Product Name Hazard Pictogram(s) Signal Word(s) 	According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 DUNLOP CF-24 FLEXIBLE TILE ADHESIVE WHITE GHS05 Danger H315: Causes skin irritation.		



DUNLOP CF-24 FLEXIBLE TILE ADHESIVE WHITE

H335: May cause respiratory irritation.

Precautionary Statement(s)	 P102: Keep out of reach of children. P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P501: Dispose of contents in accordance with local, state or national legislation.
2.3 Other hazards	
	When the cement-based powder is mixed with water or admixture, a strongly alkaline paste is produced. Cement-based products may, until set, cause both irritant and allergic contact dermatitis. Irritant contact dermatitis is due to a combination of the wetness, alkalinity and abrasiveness of the constituent materials. Allergic contact dermatitis is caused mainly by the sensitivity of the individual's skin to hexavalent chromium salts. Corrosive. Prolonged contact causes serious eye and tissue damage.
2.4 Additional Information	
	Contains Ordinary Portland Cement. The product is not expected to be hazardous to the environment.
	For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS	CAS No.	EC No. /	%W/W	Hazard Statement(s)	Hazard
INGREDIENT(S)		Registration			Pictogram(s)
		number(s)			
Quartz (SiO2)	14808-60-7	238-878-4	40-60	Not classified	None
Ordinary Portland	65997-15-1	266-043-4	30-50	Skin Irrit. 2 H315	GHS05
Cement				Skin Sens. 1B H317	GHS07
				Eye Dam. 1 H318	
				STOT SE 3 H335	
Calcium formate	544-17-2	208-863-7	<1	Eye Dam. 1 H318	GHS05

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation

Remove affected person to fresh air at once and keep comfortable for breathing. Get medical attention immediately if irritation persists.



DUNLOP CF-24 FLEXIBLE TILE ADHESIVE WHITE

Skin Contact	Remove contaminated clothing immediately and wash it before reuse. Wash the affected area thoroughly with soap and water. Get medical attention if irritation persists after washing.
Eye Contact	Remove contact lenses, if present and easy to do. Rinse cautiously with water for several minutes. Continue rinsing. Get medical attention immediately if irritation persists.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention immediately.
4.2 Most important symptoms a	and effects, both acute and delayed
	Causes burns. Allergic contact dermatitis.
4.3 Indication of any immediate	e medical attention and special treatment needed
	If ingested, immediately call a POISON CENTRE/doctor. Treat symptomatically.
SECTION 5: FIREFIGHTING MEASU	JRES
5.1 Extinguishing media	
Suitable Extinguishing media	As appropriate for surrounding fire.
Unsuitable extinguishing media	None.
5.2 Special hazards arising from	
E. 2. Advice for fineficitions	May decompose in a fire, giving off toxic and irritant vapours.
5.3 Advice for firefighters	eter Caluman des Informacións de la construction de la construction de la construction de la construction de la
	FIRE TIGRITER'S SHOULD WEAR COMPLETE PROTECTIVE CLOTHING INCLUDING
	Fire fighters should wear complete protective clothing including self-contained breathing apparatus.
SECTION 6: ACCIDENTAL RELEASE	self-contained breathing apparatus.
SECTION 6: ACCIDENTAL RELEASE	self-contained breathing apparatus. MEASURES
	self-contained breathing apparatus. E MEASURES ctive equipment and emergency procedures
	self-contained breathing apparatus. E MEASURES ctive equipment and emergency procedures Provide adequate ventilation. Avoid dust generation. Do not
	self-contained breathing apparatus. MEASURES ctive equipment and emergency procedures Provide adequate ventilation. Avoid dust generation. Do not breathe dust. Ensure full personal protection (including respiratory
	self-contained breathing apparatus. E MEASURES ctive equipment and emergency procedures Provide adequate ventilation. Avoid dust generation. Do not
6.1 Personal precautions, prote	self-contained breathing apparatus. MEASURES ctive equipment and emergency procedures Provide adequate ventilation. Avoid dust generation. Do not breathe dust. Ensure full personal protection (including respiratory
6.1 Personal precautions, prote6.2 Environmental precautions	self-contained breathing apparatus. MEASURES ctive equipment and emergency procedures Provide adequate ventilation. Avoid dust generation. Do not breathe dust. Ensure full personal protection (including respiratory protection) during removal of spillages. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.
6.1 Personal precautions, prote	self-contained breathing apparatus. MEASURES ctive equipment and emergency procedures Provide adequate ventilation. Avoid dust generation. Do not breathe dust. Ensure full personal protection (including respiratory protection) during removal of spillages. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body. ontainment and cleaning up
6.1 Personal precautions, prote6.2 Environmental precautions	self-contained breathing apparatus. EXAMPLES Ctive equipment and emergency procedures Provide adequate ventilation. Avoid dust generation. Do not breathe dust. Ensure full personal protection (including respiratory protection) during removal of spillages. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body. ontainment and cleaning up Sweep up spilled substance and remove to safe place. Use vacuum
6.1 Personal precautions, prote6.2 Environmental precautions	self-contained breathing apparatus. EXAMPLES Ctive equipment and emergency procedures Provide adequate ventilation. Avoid dust generation. Do not breathe dust. Ensure full personal protection (including respiratory protection) during removal of spillages. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body. Somainment and cleaning up Sweep up spilled substance and remove to safe place. Use vacuum equipment for collecting spilt materials, where practicable. Avoid
6.1 Personal precautions, prote6.2 Environmental precautions	self-contained breathing apparatus. EXAMPLES Ctive equipment and emergency procedures Provide adequate ventilation. Avoid dust generation. Do not breathe dust. Ensure full personal protection (including respiratory protection) during removal of spillages. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body. Somainment and cleaning up Sweep up spilled substance and remove to safe place. Use vacuum equipment for collecting spilt materials, where practicable. Avoid contact with skin or inhalation of spillage or dust. Dampen spillage
6.1 Personal precautions, prote6.2 Environmental precautions	self-contained breathing apparatus. MEASURES ctive equipment and emergency procedures Provide adequate ventilation. Avoid dust generation. Do not breathe dust. Ensure full personal protection (including respiratory protection) during removal of spillages. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body. Distainment and cleaning up Sweep up spilled substance and remove to safe place. Use vacuum equipment for collecting spilt materials, where practicable. Avoid contact with skin or inhalation of spillage or dust. Dampen spillage with water. Absorb in vermiculite, dry sand or earth and place into
6.1 Personal precautions, prote6.2 Environmental precautions	self-contained breathing apparatus. EXAMPLES Ctive equipment and emergency procedures Provide adequate ventilation. Avoid dust generation. Do not breathe dust. Ensure full personal protection (including respiratory protection) during removal of spillages. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body. Somainment and cleaning up Sweep up spilled substance and remove to safe place. Use vacuum equipment for collecting spilt materials, where practicable. Avoid contact with skin or inhalation of spillage or dust. Dampen spillage
6.1 Personal precautions, prote6.2 Environmental precautions	self-contained breathing apparatus. MEASURES ctive equipment and emergency procedures Provide adequate ventilation. Avoid dust generation. Do not breathe dust. Ensure full personal protection (including respiratory protection) during removal of spillages. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body. ontainment and cleaning up Sweep up spilled substance and remove to safe place. Use vacuum equipment for collecting spilt materials, where practicable. Avoid contact with skin or inhalation of spillage or dust. Dampen spillage with water. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or
6.1 Personal precautions, prote6.2 Environmental precautions	self-contained breathing apparatus. EXAMPSES Ctive equipment and emergency procedures Provide adequate ventilation. Avoid dust generation. Do not breathe dust. Ensure full personal protection (including respiratory protection) during removal of spillages. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body. Datainment and cleaning up Sweep up spilled substance and remove to safe place. Use vacuum equipment for collecting spilt materials, where practicable. Avoid contact with skin or inhalation of spillage or dust. Dampen spillage with water. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses. Collect and place in suitable waste disposal containers and seal securely. Label the containers and remove from the area as soon as possible. Flush contaminated area with
6.1 Personal precautions, prote6.2 Environmental precautions	self-contained breathing apparatus. MEASURES ctive equipment and emergency procedures Provide adequate ventilation. Avoid dust generation. Do not breathe dust. Ensure full personal protection (including respiratory protection) during removal of spillages. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body. ontainment and cleaning up Sweep up spilled substance and remove to safe place. Use vacuum equipment for collecting spilt materials, where practicable. Avoid contact with skin or inhalation of spillage or dust. Dampen spillage with water. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses. Collect and place in suitable waste disposal containers and seal securely. Label the containers and remove

See also section 8, 13.



SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

7.1 Trecautions for sale naman	'5
	Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and exposed skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
7.2. Conditions for sofe stores	
7.2 Conditions for safe storage,	including any incompatibilities
	Store in a well-ventilated place. Keep container tightly closed.
	Store locked up. Keep out of reach of children.
Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	None known.
7.3 Specific end use(s)	
	See 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr	LTEL (8 hr TWA	STEL	STEL	Note
		TWA ppm)	mg/m³)	(ppm)	(mg/m³)	
Portland cement inhalable	65997-15-1		10			
dust						
Portland cement respirable	65997-15-1		4			
dust						
Silica, respirable crystalline	14808-60-7		0.1			(t)
(respirable fraction)						


Region Source

United UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020) Kingdom

RemarkNotes(t)Carc (where generated as a result of a work process)

8.2 Exposure controls

8.2.1. Appropriate engineering	Ensure adequate ventilation. A washing facility/water for eye and
controls	skin cleaning purposes should be present.
8.2.2. Personal protection	
equipment	
Eye Protection	Wear eye protection with side protection (EN166).





Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374). Respiratory Normally no personal respiratory protection is necessary. If protection ventilation is inadequate, suitable respiratory protection must be worn. Use respiratory equipment with particle filter P2. Thermal hazards

None known.

8.2.3. Environmental Exposure Avoid release to the environment. Controls

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Solid.
	Colour : Off-white
Odour	Almost odourless.
Odour threshold	Not known.
рН	>11.5.
Melting point/freezing point	Not known.
Initial boiling point and boiling	Not known.
range	
Flash Point	Not applicable.
Evaporation rate	Not known.
Flammability (solid, gas)	Not known.
Upper/lower flammability or	Not known.
explosive limits	
Vapour pressure	Not known.
Vapour density	Not known.
Density (g/ml)	Not known.
Relative density	Not known.
Solubility(ies)	Solubility (Water) : Slightly soluble
	Solubility (Other) : Not known.
Partition coefficient: n-	Not known.
octanol/water	
Auto-ignition temperature	Not known.
Decomposition Temperature (°C)	Not known.
Viscosity	Not known.
Explosive properties	Not known.
Oxidising properties	Not known.
9.2 Other information	
	Nono

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.



10.2 Chemical Stability	
	Stable under normal conditions.
10.3 Possibility of hazardous re	actions
	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	
	None anticipated.
10.5 Incompatible materials	'
·	Not known.
10.6 Hazardous decomposition	products
	Fire creates: carbon monoxide, carbon dioxide.
SECTION 11: TOXICOLOGICAL IN	FORMATION
11.1 Information on toxicologic	cal effects
Acute toxicity - Ingestion	Calculation method : Not classified.
Acute toxicity - Skin Contact	Calculation method : Not classified.
Acute toxicity - Inhalation	Calculation method : Not classified.
Skin corrosion/irritation	Calculation method : Causes skin irritation.
	Causes skin irritation.
Serious eye damage/irritation	Calculation method : Causes serious eye damage.
	Causes serious eye damage.
Skin sensitization data	Calculation method : May cause an allergic skin reaction.
	May cause sensitization by skin contact.
Respiratory sensitization data	Calculation method : Not classified.
	Not known
Germ cell mutagenicity	Calculation method : Not classified.
	Based on available data, the classification criteria are not met.
Carcinogenicity	Calculation method : Not classified.
	Based on available data, the classification criteria are not met.
Reproductive toxicity	Calculation method : Not classified.
	Based on available data, the classification criteria are not met.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : May cause respiratory irritation.
C 1	Cement dust may irritate the throat and respiratory tract. Based on
	available data, the classification criteria are not met.
STOT - repeated exposure	Calculation method : Not classified. There is an indication of
	Chronic Obstructive Pulmonary Disease (COPD). The effects are
	acute and due to high exposures. No chronic effects or effects at
	low concentration have been observed.
Aspiration hazard	Calculation method : Not classified.
	Not relevant for this material.
11.2 Other information	
	Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebratesLow toxicity to invertebrates.Toxicity - FishLow toxicity to fish.



Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment	Not classified
Compartment	
Toxicity - Terrestrial	Not classified
Compartment	
12.2 Persistence and degrad	ability
	After hydration, cement presents no toxicity risk.
12.3 Bioaccumulative poten	
	No information available
12.4 Mobility in soil	
	Partly miscible with water.
12.5 Results of PBT and vPvI	
	Not classified as PBT or vPvB.
12.6 Other adverse effects	
	Not known.
SECTION 13: DISPOSAL CONS	DERATIONS
13.1 Waste treatment meth	
	Dispose of contents in accordance with local, state or national
	legislation. Send to a licensed recycler, reclaimer or incinerator.
	Dispose at suitable refuse site.
13.2 Additional Information	
	Disposal should be in accordance with local, state or national
	legislation.
SECTION 14: TRANSPORT INF	ORMATION
Not classified as hazardous f	
Not classified as hazardous for	
	or transport.
Not classified as hazardous for 14.1 UN number	or transport. Not applicable
Not classified as hazardous for	or transport. Not applicable me
Not classified as hazardous for 14.1 UN number 14.2 UN proper shipping na	or transport. Not applicable me Not applicable
Not classified as hazardous for 14.1 UN number	or transport. Not applicable me Not applicable (es)
Not classified as hazardous for 14.1 UN number 14.2 UN proper shipping na 14.3 Transport hazard class	or transport. Not applicable me Not applicable
Not classified as hazardous for 14.1 UN number 14.2 UN proper shipping na	or transport. Not applicable me Not applicable (es) Not applicable
Not classified as hazardous for 14.1 UN number 14.2 UN proper shipping na 14.3 Transport hazard classi 14.4 Packing group	or transport. Not applicable Me Not applicable (es) Not applicable Not applicable
Not classified as hazardous for 14.1 UN number 14.2 UN proper shipping na 14.3 Transport hazard class	or transport. Not applicable me Not applicable (es) Not applicable Not applicable
Not classified as hazardous for 14.1 UN number 14.2 UN proper shipping na 14.3 Transport hazard classo 14.4 Packing group 14.5 Environmental hazards	or transport. Not applicable Me Not applicable (es) Not applicable Not applicable Not applicable Not classified as a Marine Pollutant.
Not classified as hazardous for 14.1 UN number 14.2 UN proper shipping na 14.3 Transport hazard classi 14.4 Packing group	or transport. Not applicable me Not applicable (es) Not applicable Not applicable Not applicable S Not classified as a Marine Pollutant. user
Not classified as hazardous for 14.1 UN number 14.2 UN proper shipping na 14.3 Transport hazard class 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for	or transport. Not applicable me Not applicable (es) Not applicable Not applicable Not classified as a Marine Pollutant. user Not known
Not classified as hazardous for 14.1 UN number 14.2 UN proper shipping na 14.3 Transport hazard class 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for	or transport. Not applicable me Not applicable (es) Not applicable Not applicable Not applicable Not classified as a Marine Pollutant. user Not known rding to Annex II of Marpol and the IBC Code
Not classified as hazardous for 14.1 UN number 14.2 UN proper shipping na 14.3 Transport hazard class 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for	or transport. Not applicable me Not applicable (es) Not applicable Not applicable Not classified as a Marine Pollutant. user Not known

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations - Authorisations and/or Restrictions On Use



UK REACH Candidate List of Not listed Substances of Very High Concern for Authorisation **UK REACH Authorisation List** Not listed (Annex XIV) list of substances subject to authorisation **UK REACH Restrictions List** Cement, portland, chemicals (65997-15-1), calcium diformate (Annex XVII) Restrictions on the (544-17-2) manufacture, placing on the market and use of certain dangerous substances, mixtures and articles UK REACH Rolling Action Plan Not listed (RAP) The Persistent Organic Pollutants Not listed Regulations 2007 (SI 2007/3106) as amended The Ozone-Depleting Substances Not listed and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019/583) The Prior Informed Consent (PIC) Not listed Regulations concerning the export and import of hazardous chemicals SI2008/2108 as amended European Regulations - Authorisations and/or Restrictions On Use Community Rolling Action Plan Not listed (CoRAP) 15.2 Chemical Safety Assessment United Kingdom A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND





DUNLOP CF-24 FLEXIBLE TILE ADHESIVE WHITE

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Hazard Statement(s)	H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H335: May cause respiratory irritation.
Precautionary Statement(s)	 P102: Keep out of reach of children. P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after handling. P271: Use only outdoors or in a well-ventilated area. P272: Contaminated work clothing should not be allowed out of the workplace. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of water. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTRE/doctor. P312: Call a POISON CENTRE/doctor if you feel unwell. P321: Specific treatment (see Medical Advice on this label). P332+P313: If skin irritation occurs: Get medical advice/attention. P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash it before reuse. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P405: Store locked up. P501: Dispose of contents in accordance with local, state or national legislation.
Acronyms	ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service DNEL : Derived No Effect Level EC : European Community EINECS : European Inventory of Existing Commercial Chemical Substances LTEL : Long term exposure limit PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals STEL : Short term exposure limit STOT : Specific Target Organ Toxicity



DUNLOP CF-24 FLEXIBLE TILE ADHESIVE WHITE

vPvB : very Persistent and very Bioaccumulative

Issued by: Issue number: Key literature references and sources for data used to compile the SDS	Head of R+D 01 GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 e
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. BUILDING ADHESIVES LTD gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. BUILDING ADHESIVES LTD accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.